

Index

#

#define, 58, 318
#include, 387

\$

\$HOME/.Xdefaults, 432
\$HOME/.Xdefaults-name, 432

/

/etc/X?.hosts, 177

<

<stdio.h>, 425
<X11/cursorfont.h>, 3
<X11/keysym.h>, 4, 248
<X11/keysymdef.h>, 3, 4, 248, 369
<X11/X.h>, 2, 3, 121, 181, 183
<X11/X10.h>, 4, 433
<X11/Xatom.h>, 3, 58, 154, 318, 347
<X11/Xcms.h>, 3, 73
<X11/Xlib.h>, 3, 4, 8, 73, 182, 316, 381, 404, 413, 414
<X11/Xlibint.h>, 4, 403, 416, 417, 419
<X11/Xproto.h>, 4, 199, 225, 417, 418, 419
<X11/Xprotostr.h>, 4
<X11/Xresource.h>, 3, 351
<X11/Xutil.h>, 3, 329, 331, 335, 339, 372, 373, 379, 382, 387, 427

A

Above, 43, 208
Access control list, 176, **437**
Active grab, **230**, **437**
AllHints, 329
AllocAll, 79, 80, 88, 348
Allocation:
 read-only colormap cells, 82
 colormap, 83
 read-only colormap cells, 83, 84
 read/write colormap cells, 85
 read/write colormap planes, 86
AllocNamedColor, 225
AllocNone, 79
AllowEvents, 240

AllowExposures, 174, 176
AllPlanes, **9**, 122
AllTemporary, 174
AlreadyGrabbed, 232, 236
Always, 20, 34, 49, 55, 198
Ancestors, **437**
AnyButton, 233, 234, 235
AnyKey, 237, 238
AnyModifier, 233, 234, 235, 237, 238
AnyPropertyType, 61, 63
ArcChord, 125, 136, 149
ArcPieSlice, 121, 125, 136, 149
Arcs:
 drawing, 144
 filling, 148
Areas:
 clearing, 137
 copying, 138
AsyncBoth, 238, 239
AsyncKeyboard, 238, 239, 240
AsyncPointer, 238, 239, 240
Atom, 58
 predefined, 58
 getting name, 60
 interning, 60
 getting name, 61
Atom, 302
 predefined, 318
Atom, 322, 418, 420, **437**
Authentication, 176
AutoRepeatModeDefault, 243
AutoRepeatModeOff, 243, 244, 245
AutoRepeatModeOn, 243, 244, 245

B

B16, 417
B32, 417
Background, **437**
Backing store, **437**
BadAccess, 49, 88, 89, 90, 91, 178, 179, 180, **225**, 235, 238
BadAlloc, 38, 60, 64, 68, 69, 70, 71, 79, 80, 126, 128, 129, 130, 131, 133, 134, 135, 136, 153, **225**, 251, 252, 326, 327, 329, 331, 333, 334, 335, 336, 337, 338, 340, 342, 343, 348, 378, 385, 387, 427, 428, 429, 430
BadAtom, 61, 63, 64, 65, 66, 67, **225**, 227, 262, 263, 293, 295, 302, 326, 334, 335, 348, 349, 429,

- 430
- BadColor, 38, 49, 51, 80, 81, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 171, 172, **225**, 227, 293, 295, 302
- BadCursor, 38, 49, 52, 72, **225**, 227, 232, 233, 235, 295, 303
- BadDrawable, 55, 56, 68, 72, 126, 132, 133, 139, 140, 141, 143, 144, 146, 147, 148, 149, 162, 163, 164, 166, 167, 168, **225**, 227, 385, 386, 387, 430
- BadFont, 70, 126, 134, 154, 160, 161, 162, **225**, 227, 275
- BadGC, 23, 126, 127, 128, 129, 130, 131, 133, 134, 135, 136, 139, 140, 141, 143, 144, 146, 147, 148, 149, 160, 162, 163, 164, 166, 168, **225**, 227, 385, 387
- BadIDChoice, **225**
- BadImplementation, 225, **227**
- BadLength, 225, **227**, 252, 417
- BadMatch, 30, 32, 33, 35, 37, 38, 42, 43, 44, 48, 49, 50, 51, 64, 65, 71, 79, 124, 125, 126, 132, 133, 135, 138, 139, 140, 141, 143, 144, 146, 147, 148, 149, 162, 163, 164, 166, 167, 168, 169, 170, 171, 225, **227**, 242, 243, 244, 321, 379, 386, 387
- BadName, 91, 153, 225, **227**
- BadPixmap, 38, 49, 50, 51, 69, 71, 126, 133, 135, 225, **227**, 293, 295, 302
- BadRequest, 225, **227**
- BadValue, 23, 36, 38, 42, 44, 45, 47, 49, 60, 63, 64, 68, 69, 70, 79, 86, 87, 88, 89, 90, 91, 92, 93, 124, 126, 128, 129, 130, 131, 132, 135, 136, 138, 139, 140, 141, 143, 148, 166, 167, 168, 170, 173, 174, 175, 176, 178, 179, 223, 225, **227**, 232, 233, 235, 236, 238, 240, 242, 243, 244, 245, 246, 247, 249, 250, 251, 252, 321, 326, 387
- BadWindow, 38, 39, 40, 41, 42, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 55, 57, 58, 63, 64, 65, 66, 67, 79, 138, 170, 171, 172, 215, 223, 224, 225, **227**, 232, 235, 236, 238, 241, 242, 293, 295, 298, 320, 321, 326, 327, 328, 329, 331, 333, 334, 335, 336, 337, 338, 339, 340, 342, 343, 348, 349, 427, 428, 429, 430
- Base font name, **437**
- Below, 43
- Bit:
 - gravity, **437**
 - plane, **437**
- Bitmap, 2, **437**
- BitmapBitOrder, **17**
- BitmapFileInvalid, 385
- BitmapNoMemory, 385, 386
- BitmapOpenFailed, 385, 386
- BitmapPad, **17**
- BitmapSuccess, 385, 386
- BitmapUnit, **16**
- BlackPixel, **9**
- BlackPixelOfScreen, **18**
- Bool, **4**, 183, 219, 220, 292, 293, 408
- Border, **438**
- BottomIf, 43, 44
- Button:
 - grabbing, 233
 - ungrabbing, 235
 - grabbing, **438**
- Button1, 189
- Button1Mask, 189, 191
- Button1Motion, 35
- Button1MotionMask, 184, 187, 189, 231
- Button2, 189
- Button2Mask, 189, 191
- Button2Motion, 35
- Button2MotionMask, 184, 189, 231
- Button3, 189
- Button3Mask, 189, 191
- Button3Motion, 35
- Button3MotionMask, 184, 189, 231
- Button4, 189
- Button4Mask, 189, 191
- Button4Motion, 35
- Button4MotionMask, 184, 189, 231
- Button5, 189
- Button5Mask, 189, 191
- Button5Motion, 35
- Button5MotionMask, 184, 187, 189, 231
- ButtonMotion, 35
- ButtonMotionMask, 184, 185, 187, 231
- ButtonPress, 35, 181, 184, **187**, 193, 215, 234, 239
- ButtonPressMask, 49, 184, 187, 215, 231
- ButtonRelease, 35, 181, **187**, 193, 239
- ButtonReleaseMask, 184, 187, 231
- Byte:
 - order, **438**
- ## C
- CallbackPrototype, **304**
- calloc, 424
- CapButt, 121, 123, 130
- CapNotLast, 123, 130
- CapProjecting, 123, 130
- CapRound, 123, 130
- CARD16, 425
- CARD32, 425
- CCC, 78
 - default, 78
 - of colormap, 78
 - default, 93

- of colormap, 93
- default, 94
- of colormap, 94
- creation, 97
- freeing, 98
- CellsOfScreen, **19**
- CenterGravity, 33, 54, 55
- Changing:
 - pointer grab, 233
- char, 61, 63, 64, 425
- Character, **438**
- Character glyph, **438**
- Character set, **438**
- Charset, **438**
- CharSetEncoding, 267, 268, 437, 440
- CharSetRegistry, 267, 268, 437, 440
- Child window, 1
- Child Window, 53
- Children, **438**
- Chroma, 109
 - maximum, 109
- Chroma, 110
 - maximum, 110
- Chroma, 111
 - maximum, 111
- CIE metric lightness, 106
 - maximum, 106
- CIE metric lightness, 107
 - maximum, 107
 - minimum, 107
- CIE metric lightness, 108
 - maximum, 108
- CIE metric lightness, 109
 - minimum, 109
- CirculateNotify, 47, 181, 184, 190, 199, **200**, 206
- CirculateRequest, 47, 181, **206**, 207, 214
- Class, **438**
- Clearing:
 - areas, 137
 - windows, 138
- Client, **438**
- Client White Point, 78
 - of Color Conversion Context, 95
- ClientMessage, 59, 181, 184, **210**, 320
- ClientWhitePointOfCCC, **95**
- ClipByChildren, 121, 125, 136, 137
- Clipping region, **439**
- Coded character, **439**
- Coded character set, **439**
- Codepoint, **439**
- Color, 74
 - naming, 80, 81
 - allocation, 82, 83
 - naming, 83
 - allocation, 84
 - naming, 84
 - allocation, 85, 86
 - deallocation, 87
 - storing, 88, 89
 - naming, 90
 - storing, 90
 - querying, 91, 92
 - conversion, 98
- Color Characterization Data, 117
- Color conversion, 98
- Color Conversion Context, 78
 - creation, 78
 - default, 78
 - of colormap, 78
 - creation, 93
 - default, 93
 - of colormap, 93
 - default, 94
 - of colormap, 94
 - creation, 97
 - freeing, 98
- Color map, 74, 83
- Colormap, 2, 23, 24
 - CCC of, 93, 94
- Colormap, 302, 418, **439**
- ColormapChangeMask, 184, 209
- ColormapInstalled, 210
- ColormapNotify, 49, 80, 171, 172, 181, **209**
- Colormaps:
 - standard, 347
- ColormapUninstalled, 210
- Complex, 148
- ConfigureNotify, 43, 181, 184, 190, 199, **200**, 206
- ConfigureRequest, 2, 43, 44, 45, 46, 47, 48, 181, 206, **207**, 214
- ConfigureRequestEvent, 321
- ConfigureWindow, 207, 208, 321
- Connection, **439**
- ConnectionNumber, **9**
- Containment, **439**
- Control, 252
- ControlMask, 189, 191, 231, 235
- ConvertSelection, 212
- Convex, 148
- Coordinate system, **439**
- CoordModeOrigin, 141, 142, 143, 148
- CoordModePrevious, 141, 142, 143, 148
- CopyArea, 139
- CopyFromParent, 31, 33, 35, 36, 49, 51

Copying:

- areas, 138
- planes, 139

CreateNotify, 37, 38, 181, 184, 199, **201**

CurrentTime, 66, 67, 184, 212, 213, 223, 224, **230**, 231, 232, 233, 235, 236, 238, 241, 242, 447

Cursor, 2, 23, 24

- Initial State, 38
- limitations, 72

Cursor, 303, 418, **439**

CursorShape, 131, 132

Cut Buffers, 378

CWBackingPixel, 30

CWBackingPlanes, 30

CWBackingStore, 30

CWBackPixel, 30

CWBackPixmap, 30

CWBitGravity, 30

CWBorderPixel, 30

CWBorderPixmap, 30

CWBorderWidth, 42

CWColormap, 30

CWCursor, 30

CWDontPropagate, 30

CWEventMask, 30

CWHeight, 42

CWOverrideRedirect, 30

CWSaveUnder, 30

CWSibling, 42

CWStackMode, 42

CWWidth, 42

CWWinGravity, 30

CWX, 42

CWY, 42

D

Data, 420, 421, 424

Data16, 421

Data32, 421

Debugging:

- synchronous mode, 224
- error event, 225
- error handlers, 225
- error numbers, 225
- error message strings, 227

Default Protection, 176

DefaultBlanking, 174, 176

DefaultColormap, **10**, 74

DefaultColormapOfScreen, **19**

DefaultDepth, **10**

DefaultDepthOfScreen, **19**

DefaultExposures, 174, 176

DefaultGC, **11**

DefaultGCOfScreen, **19**

DefaultRootWindow, **11**

DefaultScreen, 8, **12**

DefaultScreenOfDisplay, **11**

DefaultVisual, **12**, 74

DefaultVisualOfScreen, **19**

Depth, **439**

Destination, **121**

DestroyAll, 23, 24

DestroyCallback, **292**, **305**

DestroyNotify, 39, 181, 184, 199, **202**

Device, **439**

Device Color Characterization, 116

Device profile, 78, 117

DirectColor, 28, 29, 74, 79, 86, 87, 347, **439**, 447

DisableAccess, 179

Display, 8

- data structure, 8

Display, 9, 23, 252, 413, 414, 415, 419, 421, **440**

- structure, 440

Display, 446

- structure, 446

Display Functions, **121**

DisplayCells, **12**

DisplayHeight, **17**

DisplayHeightMM, **17**

DisplayOfCCC, **94**

DisplayOfScreen, **20**

DisplayPlanes, **12**

DisplayString, **13**

DisplayWidth, **18**

DisplayWidthMM, **18**

DoBlue, 74, 81, 88, 89, 90, 91, 92

DoesBackingStore, **20**

DoesSaveUnders, **20**

DoGreen, 74, 81, 88, 89, 90, 91, 92

DontAllowExposures, 174, 176

DontPreferBlanking, 174, 176

DoRed, 74, 81, 88, 89, 90, 91, 92

Drawable, 2, 418, 420, **440**

Drawing:

- points, 140
- lines, 141
- polygons, 141
- rectangles, 143
- arcs, 144
- text items, 161
- strings, 162

image text, 163

E

EastGravity, 33, 54, 55

EnableAccess, 179

Encoding, **440**

EnterNotify, 181, **190**, 191, 192, 193, 194, 197, 206, 232

EnterWindowMask, 184, 190, 231

Environment:

DISPLAY, 7

Error:

handling, 3

codes, 225

handlers, 225

Escapement, **440**

EvenOddRule, 121, 125, 131, 374

Event, 2, 181

categories, 181

types, 181

propagation, 214

Event, **440**

mask, **440**

propagation, **440**

source, **440**

synchronization, **440**

Exposure, **441**

Event mask, **183**

EventMaskOfScreen, **20**

Events:

ButtonPress, 187

ButtonRelease, 187

KeyPress, 187

KeyRelease, 187

MotionNotify, 187

EnterNotify, 190

LeaveNotify, 190

FocusIn, 193

FocusOut, 193

Expose, 197

KeymapNotify, 197

GraphicsExpose, 198

NoExpose, 198

CirculateNotify, 200

ConfigureNotify, 200

CreateNotify, 201

DestroyNotify, 202

GravityNotify, 203

MapNotify, 203

MappingNotify, 204

ReparentNotify, 204

UnmapNotify, 205

VisibilityNotify, 205

CirculateRequest, 206

ConfigureRequest, 207

MapRequest, 208

ColormapNotify, 209

ResizeRequest, 209

ClientMessage, 210

PropertyNotify, 210

SelectionClear, 211

SelectionRequest, 211

SelectionNotify, 212

Expose, 2, 30, 32, 34, 39, 40, 41, 42, 44, 45, 46, 137, 169, 175, 181, 190, 194, **197**, 198, 206

ExposureMask, 184, 198

Extension, **441**

F

False, **4**, 20, 26, 31, 34, 35, 40, 43, 44, 45, 46, 47, 48, 55, 57, 58, 60, 90, 98, 138, 154, 184, 186, 189, 191, 207, 208, 209, 215, 217, 218, 220, 221, 222, 224, 231, 236, 254, 261, 271, 289, 290, 293, 313, 330, 360, 361, 363, 403, 409, 410, 421, 422

FamilyChaos, 177

FamilyDECnet, 177

FamilyInternet, 177

FamilyInternet6, 177

FamilyServerInterpreted, 177

Files:

<X11/X.h>, 2, 3

<X11/Xatom.h>, 3

<X11/Xcms.h>, 3

<X11/Xlib.h>, 3

<X11/Xresource.h>, 3

<X11/Xutil.h>, 3

<X11/cursorfont.h>, 3

<X11/keysymdef.h>, 3

<X11/X10.h>, 4

<X11/Xlib.h>, 4

<X11/Xlibint.h>, 4

<X11/Xproto.h>, 4

<X11/Xprotostr.h>, 4

<X11/keysym.h>, 4

<X11/keysymdef.h>, 4

<X11/Xlib.h>, 8

<X11/Xatom.h>, 58

<X11/Xcms.h>, 73

<X11/Xlib.h>, 73

<X11/X.h>, 121

<X11/Xatom.h>, 154

/etc/X?.hosts, 177

<X11/X.h>, 181

<X11/Xlib.h>, 182

- <X11/X.h>, 183
- <X11/Xproto.h>, 199, 225
- <X11/keysym.h>, 248
- <X11/keysymdef.h>, 248
- <X11/Xlib.h>, 316
- <X11/Xatom.h>, 318
- <X11/Xutil.h>, 329, 331, 335, 339
- <X11/Xatom.h>, 347
- <X11/Xresource.h>, 351
- <X11/keysymdef.h>, 369
- <X11/Xutil.h>, 372, 373, 379
- <X11/Xlib.h>, 381
- <X11/Xutil.h>, 382, 387
- <X11/Xlibint.h>, 403
- <X11/Xlib.h>, 404, 413, 414
- <X11/Xlibint.h>, 416, 417
- <X11/Xproto.h>, 417, 418
- <X11/Xlibint.h>, 419
- <X11/Xproto.h>, 419
- <stdio.h>, 425
- <X11/Xutil.h>, 427
- \$HOME/.Xdefaults, 432
- <X11/X10.h>, 433
- Filling:
 - rectangles, 146
 - arcs, 148
 - polygon, 148
- FillOpaqueStippled, 124, 131, 139
- FillPolygon, 147
- FillSolid, 121, 124, 131, 164
- FillStippled, 124, 131
- FillTiled, 124, 131
- FlushGC, **415**, 416
- FocusChangeMask, 184, 193
- FocusIn, 181, **193**, 194, 195, 196, 197, 236, 237, 242
- FocusOut, 181, 190, **193**, 194, 195, 196, 197, 206, 236, 237, 242
- Font, 2
- font, 6
- Font, 23, 24, 150, 418, **441**
- Font glyph, **441**
- FontLeftToRight, 151, 157, 158, 159
- FontRightToLeft, 151, 157, 158, 159
- Fonts:
 - freeing font information, 152
 - getting information, 152
 - unloading, 152
- Fonts, 434
- Forget, 34
- ForgetGravity, 31, 33, 34, 54
- fork, 13
- free, 424
- Freeing:
 - resources, 30, 50, 51
 - colors, 87
- Frozen events, **441**
- Function set, 116
 - LINEAR_RGB, 116
- G**
- Gamut compression, 78
 - client data, 96
 - procedure, 96
 - setting in Color Conversion Context, 96
- Gamut handling, 78
- Gamut querying, 103
- GC, 413, **441**
- GCArcMode, 119, 127
- GCBgColor, 119, 127
- GCCapStyle, 119, 127
- GCCLipMask, 119, 127
- GCclipXOrigin, 119, 127
- GCclipYOrigin, 119
- GCCLipYOrigin, 127
- GCDashList, 119, 127
- GCDashOffset, 119, 127
- GCFillRule, 119, 127
- GCFillStyle, 119, 127
- GCFont, 119, 127
- GCForeground, 119, 127
- GCFunction, 119, 127
- GCGraphicsExposures, 119, 127
- GCGlyph, 119, 127
- GCGlyph, 119, 127
- GCLineStyle, 119, 127
- GCLineWidth, 119, 127
- GContext, 2, 23, 24, 127, 152, 153, 158, 159, 225, 418
- GCPlaneMask, 119, 127
- GCStipple, 119, 127
- GCSubwindowMode, 119, 127
- GCTile, 119, 127
- GCTileStipXOrigin, 119, 127
- GCTileStipYOrigin, 119, 127
- GeometryCallback, **305**
- GetEmptyReq, 419
- GetKeyboardControl, 419, 421
- GetReq, 419, 420, 424
- GetReqExtra, 419, 420
- GetResReq, 419, 420
- GetWindowAttributes, 419, 421, 422
- Glyph, **441**
- Glyph image, **441**
- Grab, **441**

Grabbing:

- server, 174
- pointer, 231
- buttons, 233
- keyboard, 235
- keys, 237

GrabFrozen, 232, 236

GrabInvalidTime, 232, 236

GrabModeAsync, 186, 231, 232, 233, 235, 236, 237

GrabModeSync, 231, 232, 233, 235, 236, 237

GrabNotViewable, 232, 236

GrabSuccess, 231

Graphics context, 119

- path, 123
- initializing, 125

Graphics context, **441**GraphicsExpose, 125, 136, 139, 181, 182, 184, **198**, 199Gravity, **441**GravityNotify, 34, 43, 181, 184, 190, 199, **203**, 206GrayScale, 28, 29, 71, 74, 79, 86, 346, 347, 429, **441**, 447

GXand, 121

GXandInverted, 121

GXandReverse, 121

GXclear, 121

GXcopy, 121, 138, 139, 164

GXcopyInverted, 121

GXequiv, 121

GXinvert, 121

GXnand, 121

GXnoop, 121

GXnor, 121

GXor, 121

GXorInverted, 121

GXorReverse, 121

GXset, 121

GXxor, 121

H

Hash Lookup, 434

Headers:

- <X11/X.h>, 2, 3
- <X11/Xatom.h>, 3
- <X11/Xcms.h>, 3
- <X11/Xlib.h>, 3
- <X11/Xresource.h>, 3
- <X11/Xutil.h>, 3
- <X11/cursorfont.h>, 3
- <X11/keysymdef.h>, 3

<X11/X10.h>, 4

<X11/Xlib.h>, 4

<X11/Xlibint.h>, 4

<X11/Xproto.h>, 4

<X11/Xprotostr.h>, 4

<X11/keysym.h>, 4

<X11/keysymdef.h>, 4

<X11/Xlib.h>, 8

<X11/Xatom.h>, 58

<X11/Xcms.h>, 73

<X11/Xlib.h>, 73

<X11/X.h>, 121

<X11/Xatom.h>, 154

<X11/X.h>, 181

<X11/Xlib.h>, 182

<X11/X.h>, 183

<X11/Xproto.h>, 199, 225

<X11/keysym.h>, 248

<X11/keysymdef.h>, 248

<X11/Xlib.h>, 316

<X11/Xatom.h>, 318

<X11/Xutil.h>, 329, 331, 335, 339

<X11/Xatom.h>, 347

<X11/Xresource.h>, 351

<X11/keysymdef.h>, 369

<X11/Xutil.h>, 372, 373, 379

<X11/Xlib.h>, 381

<X11/Xutil.h>, 382, 387

<X11/Xlibint.h>, 403

<X11/Xlib.h>, 404, 413, 414

<X11/Xlibint.h>, 416, 417

<X11/Xproto.h>, 417, 418

<X11/Xlibint.h>, 419

<X11/Xproto.h>, 419

<stdio.h>, 425

<X11/Xutil.h>, 427

<X11/X10.h>, 433

HeightMMOfScreen, **21**HeightOfScreen, **21**

HeightValue, 372

Host Portable Character Encoding, **441**Hotspot, **442****I**

IconicState, 320, 330

IconMaskHint, 329

IconPixmapHint, 329

IconPositionHint, 329

IconWindowHint, 329

Identifier, **442**

Image text:

drawing, 163

ImageByteOrder, **16**

IMInstantiateCallback, **289**

IncludeInferiors, 125, 136

Inferiors, **442**

InitExtension, 228

Input:

focus, **442**

manager, **442**

Input Control, 181

InputFocus, 222, 223

InputHint, 329

InputOnly, 30, 31, 33, 35, 36, 37, 38, 42, 50, 51, 54, 56, 68, 132, 133, 138, 170, 197, 206, 225, 438, 440, 442, 443

InputOutput, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 40, 54, 125, 437, 438, 442, 443

int, 5, 302, 408, 425

Internationalization, **442**

IsCursorKey, **369**

IsFunctionKey, **369**

IsKeypadKey, **370**

IsMiscFunctionKey, **370**

IsModifierKey, **370**

ISO2022, **442**

IsPFKey, **370**

IsPrivateKeypadKey, **370**

isspace, 448

IsUnmapped, 55

IsUnviewable, 55

IsViewable, 55

J

JoinBevel, 123, 130

JoinMiter, 121, 123, 130

JoinRound, 123, 130

K

KBAutoRepeatMode, 243

KBBellDuration, 243

KBBellPercent, 243

KBBellPitch, 243

KBKey, 243

KBKeyClickPercent, 243

KBLed, 243

KBLedMode, 243

Key:

grabbing, 237

ungrabbing, 238

grabbing, **442**

Keyboard:

grabbing, 235

ungrabbing, 236

bell volume, 243

bit vector, 243

keyclick volume, 243

grabbing, **442**

KeymapNotify, 181, **197**

KeymapStateMask, 184, 197

KeyMapStateMask, 231

KeyPress, 35, 181, **187**, 196, 236, 237, 239, 244, 248, 314, 315, 367

KeyPressMask, 184, 187

KeyRelease, 35, 181, **187**, 197, 236, 239, 244, 314, 367

KeyReleaseMask, 184, 187

Keysym, **442**

L

LastKnownRequestProcessed, **13**

Latin Portable Character Encoding, **443**

Latin-1, **443**

LeaveNotify, 181, **190**, 191, 192, 193, 194, 206, 232

LeaveWindowMask, 184, 190, 231

LedModeOff, 243

LedModeOn, 243

LineDoubleDash, 123, 124, 130

LineOnOffDash, 123, 124, 130

Lines:

drawing, 141

LineSolid, 121, 123, 124, 130

Locale, **443**

Locale name, **443**

Localization, **443**

Lock, 248, 249, 252, 371

LockDisplay, **419**

LockMask, 189, 191, 231, 235

long, 61, 63, 64, 298, 302, 408, 425

LookupColor, 225

LowerHighest, 47, 48

LSBFirst, 16, 17

M

malloc, 424

MapNotify, 40, 181, 184, 190, 199, **203**, 206

Mapped window, **443**

MappingBusy, 246, 252

MappingFailed, 252

MappingKeyboard, 204, 368

MappingModifier, 204, 368

MappingNotify, 181, 184, 200, **204**, 246, 250, 252, 368
 MappingPointer, 204
 MappingSuccess, 246, 252
 MapRequest, 39, 40, 181, 206, **208**, 214
 MapWindow, 24, 169
 MaxCmapsOfScreen, **21**
 mblen, 256
 mbtowc, 256
 Menus, 173
 MinCmapsOfScreen, **22**
 Mod1, 248, 252
 Mod1Mask, 189, 191, 231, 235
 Mod2, 252
 Mod2Mask, 189, 191, 231, 235
 Mod3, 252
 Mod3Mask, 189, 191, 231, 235
 Mod4, 252
 Mod4Mask, 189, 191, 231, 235
 Mod5, 248, 252
 Mod5Mask, 189, 191, 231, 235
 Modifier keys, **443**
 Monochrome, **443**
 MotionNotify, 181, 185, **187**, 190, 223
 Mouse:
 programming, 243
 MSBFirst, 16, 17
 Multibyte, **443**

N

NextRequest, **14**, 225
 NoEventMask, 35, 184
 NoExpose, 136, 139, 181, 184, **198**
 Nonconvex, 148
 None, **4**, 31, 32, 35, 49, 50, 51, 52, 55, 57, 58, 60, 62, 66, 67, 69, 70, 80, 121, 124, 135, 137, 138, 139, 160, 161, 186, 189, 191, 195, 196, 201, 208, 209, 212, 213, 231, 232, 233, 240, 241, 242, 276, 313, 326, 349, 387, 426
 NoOperation, 7, 22
 NormalState, 330
 NorthEastGravity, 33, 54, 55, 373
 NorthGravity, 33, 54, 55
 NorthWestGravity, 31, 33, 34, 54, 55, 373
 NoSymbol, 248, 250, 367, 368, 369
 NotifyAncestor, 192, 194, 195
 NotifyDetailNone, 194, 196
 NotifyGrab, 192, 193, 194, 196, 197
 NotifyHint, 187, 188, 189
 NotifyInferior, 192, 194, 195
 NotifyNonlinear, 192, 193, 194, 195, 196
 NotifyNonlinearVirtual, 192, 193, 194, 195, 196

NotifyNormal, 189, 192, 194
 NotifyPointer, 194, 195, 196
 NotifyPointerRoot, 194, 196
 NotifyUngrab, 192, 193, 194, 196, 197
 NotifyVirtual, 192, 194, 195
 NotifyWhileGrabbed, 194
 NotUseful, 20, 31, 34, 55
 NULLQUARK, 364

O

Obscure, **443**
 Occlude, **443**
 OpenFont, 225
 Opposite, 43, 44
 Output Control, 181
 OwnerGrabButtonMask, 184, 186

P

PackData, 425
 Padding, **444**
 PAllHints, 332, 333
 Parent Window, 1, 53
 ParentRelative, 30, 32, 49, 50, 170
 PAspect, 332
 Passive grab, 230, **444**
 PBaseSize, 332
 Pixel value, 122, **444**
 Pixmap, 2, 23, 24, 302, 418, 420, **444**
 Pixmap, 434
 PlaceOnBottom, 200, 207
 PlaceOnTop, 200, 207
 Plane:
 mask, 122
 copying, 139
 Plane, **444**
 mask, **444**
 PlanesOfScreen, **22**
 PMaxSize, 332
 PMinSize, 332
 Pointer:
 grabbing, 231
 ungrabbing, 232
 grabbing, 233
 Pointer, **444**
 grabbing, **444**
 PointerMotion, 35
 PointerMotionHintMask, 184, 187, 231
 PointerMotionMask, 184, 185, 187, 231
 PointerRoot, 24, 195, 196, 241, 242, 330
 PointerWindow, 222
 Pointing device, **444**

Points:

drawing, 140

poll, 26

Polygons:

drawing, 141

filling, 148

PolyLine, 143, 144

POSIX, **444**POSIX Portable Filename Character Set, **444**

POSIX System Call:

fork, 13

PPosition, 332

PreeditCaretCallback, **310**PreeditDoneCallback, **307**PreeditDrawCallback, **307**PreeditStartCallback, **307**PreeditStateNotifyCallback, **303**

PreferBlanking, 174, 176

PResizeInc, 332

Property:

getting, 61

appending, 63

changing, 63

format, 63

listing, 63

prepending, 63

replacing, 63

type, 63

deleting, 65

Property, **445**Property list, **445**

PropertyChangeMask, 184, 210

PropertyDelete, 211

PropertyNewValue, 211

PropertyNotify, 63, 64, 65, 181, **210**

PropModeAppend, 63, 64

PropModePrepend, 63, 64

PropModeReplace, 63, 64

Protocol:

DECnet, 8

TCP, 8

ProtocolRevision, **14**ProtocolVersion, **14**

PseudoColor, 28, 29, 74, 79, 85, 86, 87, 347, 441,

445, 447

PSize, 332

Psychometric Chroma, 106

maximum, 106

Psychometric Chroma, 107

maximum, 107

Psychometric Chroma, 108

maximum, 108

Psychometric Hue Angle, 106, 107, 108, 109

PWinGravity, 332

Q

QLength, **14**

QueryFont, 225, 419, 421

QueryKeymap, 419, 421

QueuedAfterFlush, 215, 216

QueuedAfterReading, 215, 216

QueuedAlready, 215, 216

R

RaiseLowest, 47

Read-only colormap cells, 82

allocating, 82, 83

read-only colormap cells, 83

Read-only colormap cells:

allocating, 84

Read/write colormap cells, 82

allocating, 85

Read/write colormap planes:

allocating, 86

Rectangle:

filling, 146

Rectangle, **445**

RectangleIn, 377

RectangleOut, 377

RectanglePart, 377

Rectangles:

drawing, 143

Redirecting control, **445**

Region, 373

ReleaseByFreeingColormap, 345

ReparentNotify, 169, 181, 184, 200, **204**

ReplayKeyboard, 238, 239, 240

ReplayPointer, 238, 239, 240

Reply, **445**Request, **445**Requests, **181**

ResizeRedirect, 209

ResizeRedirectMask, 40, 43, 49, 184, 214

ResizeRequest, 40, 43, 181, 206, **209**, 214Resource, **445**

Resource IDs, 2

Cursor, 2

Font, 2

GContext, 2

Pixmap, 2

Window, 2

Resource IDs, 23

freeing, 30, 50, 51

Resource IDs, 434

ResourceName, 363
 RetainPermanent, 23, 24, 174
 RetainTemporary, 23, 24, 174
 RevertToNone, 241, 242
 RevertToParent, 241, 242
 RevertToPointerRoot, 241, 242
 RGB values, **445**
 Root, 119, **445**
 RootWindow, **15**, 280
 RootWindowOfScreen, **22**

S

Save set, **446**
 Save Unders, 34
 Scanline, **446**
 order, **446**
 Screen, 1, 7, 8, 9, 18, 19, 20, 21, 22, 413, **446**
 structure, 446
 Screen White Point, 103
 ScreenCount, **15**
 ScreenFormat, 413
 ScreenNumberOfCCC, **95**
 ScreenOfDisplay, **11**
 ScreenSaverActive, 175
 ScreenSaverReset, 175
 ScreenWhitePointOfCCC, **95**
 select, 26
 Selection, 65
 getting the owner, 66
 setting the owner, 66
 converting, 67
 Selection, **446**
 SelectionClear, 66, 181, 184, 210, **211**
 SelectionNotify, 67, 181, 184, 210, **212**, 222
 SelectionRequest, 66, 67, 181, 184, 210, **211**
 SendEvent, 182, 408
 Serial Number, 225
 Server:
 grabbing, 174
 Server, **446**
 grabbing, **446**
 ServerVendor, **15**
 setlocale, 253, 255, 443
 SetModeDelete, 170
 SetModeInsert, 170
 Shift, 248, 249, 252, 371
 Shift sequence, **446**
 ShiftMask, 189, 191, 231, 235
 short, 61, 63, 64, 425
 Sibling, **446**
 Source, **121**
 SouthEastGravity, 33, 54, 55, 373

SouthGravity, 33, 54, 55
 SouthWestGravity, 33, 54, 55, 373
 special, 6
 Stacking order, 1, **447**
 Standard Colormaps, 347
 State-dependent encoding, **447**
 State-independent encoding, **447**
 StateHint, 329
 StaticColor, 28, 29, 74, 79, **447**
 StaticGravity, 34, 54, 55
 StaticGray, 28, 29, 71, 74, 79, 443, **447**
 Status, 3, 78, **447**
 StatusDoneCallback, **312**
 StatusDrawCallback, **312**
 StatusStart, 312
 StatusStartCallback, **312**
 Stipple, **447**
 StippleShape, 131, 132
 STRING encoding, **447**
 String Equivalence, **447**
 StringConversionCallback, **306**
 Strings:
 drawing, 162
 strlen, 363
 strtok, 256
 StructureNotify, 200, 201, 202, 203, 205
 StructureNotifyMask, 184, 200, 202, 203, 204, 205
 SubstructureNotify, 200, 201, 202, 203, 205
 SubstructureNotifyMask, 184, 200, 201, 202, 203, 204, 205, 320
 SubstructureRedirectMask, 35, 39, 40, 43, 44, 45, 46, 47, 48, 49, 184, 207, 208, 214, 320
 Success, 63, 321, 323
 SyncBoth, 238, 239
 SyncHandle, 423
 SyncKeyboard, 238, 239, 240
 SyncPointer, 238, 239, 240

T

Text:
 drawing, 161
 this, 6
 Tile, 2
 mode, 30
 pixmap, 30
 Tile, **447**
 TileShape, 131, 132
 Time, **230**
 Timestamp, **447**
 TopIf, 43, 44
 True, **4**, 20, 26, 34, 35, 40, 55, 57, 58, 63, 86, 87, 90, 98, 99, 102, 115, 121, 137, 139, 151, 154, 169,

182, 184, 186, 189, 191, 198, 201, 202, 204, 205,
209, 211, 215, 217, 218, 219, 220, 221, 222, 223,
224, 231, 236, 247, 254, 261, 266, 271, 289, 290,
292, 293, 313, 323, 330, 358, 359, 360, 361, 363,
369, 370, 377, 403, 409, 410, 421, 422
TrueColor, 28, 29, 74, 79, **447**
Type, **448**

U

Ungrabbing:
 pointer, 232
 buttons, 235
 keyboard, 236
 keys, 238
UngrabKeyboard, 237
UngrabPointer, 232
UnlockDisplay, **419**
UnmapGravity, 34, 55, 205
UnmapNotify, 34, 41, 42, 181, 184, 190, 194, 200,
205, 206, 320
UnmapNotify Event, 41, 42
UnmapWindow, 169
unsigned, 298, 302, 408, 425
Unsorted, 135
UrgencyHint, 329, 331
USPosition, 332
USSize, 332

V

Value, 110
 maximum, 110
Value, 111
 maximum, 111
 minimum, 111
VendorRelease, **15**
Vertex, 432, **433**
VertexCurved, **433**, 434
VertexDontDraw, **433**, 434
VertexDrawLastPoint, 432
VertexEndClosed, 432, **433**, 434
VertexRelative, **433**
VertexStartClosed, 432, **433**, 434
Viewable, **448**
VisibilityChangeMask, 184, 206
VisibilityFullyObscured, 206
VisibilityNotify, 36, 181, 190, 194, 200, **205**, 206
VisibilityPartiallyObscured, 206
VisibilityUnobscured, 206
Visible, **448**
Visual, **28**, 29, 54, 381, 382, 413

Visual Classes:
 GrayScale, 28
 PseudoColor, 28
 StaticColor, 28
 StaticGray, 28
 TrueColor, 28
Visual Type, **28**
VisualAllMask, 379
VisualBitsPerRGBMask, 379
VisualBlueMaskMask, 379
VisualClassMask, 379
VisualColormapSizeMask, 379
VisualDepthMask, 379
VisualGreenMaskMask, 379
VisualID, 418
VisualIDMask, 379
VisualNoMask, 379
VisualOfCCC, **94**
VisualRedMaskMask, 379
VisualScreenMask, 379
VoidSymbol, 248

W

wctomb, 256
WestGravity, 33, 54, 55
WhenMapped, 20, 34, 49, 55, 198
White point, 78
White point adjustment, 78
 client data, 96
 procedure, 96
 setting in Color Conversion Context, 96
WhitePixel, **9**
WhitePixelOfScreen, **18**
Whitespace, **448**
WidthMMOfScreen, **21**
WidthOfScreen, **21**
WidthValue, 372
WindingRule, 125, 131, 374
Window, **2**
 RootWindow, 15
 XRootWindow, 15
Window, 23, 29
 attributes, 29
 mapping, 30
 InputOnly, 36
 background, 50
 defining the cursor, 51
 undefining the cursor, 52
 clearing, 138
 managers, 173
Window, 298
 name, 327

- icon name, 328
 - determining location, 372
 - Window, 418, 420
 - determining location, 430
 - IDs, 434
 - InputOnly, **442**
 - InputOutput, **442**
 - parent, **444**
 - root, **446**
 - gravity, **448**
 - manager, **448**
 - WindowGroupHint, 329
 - Windows, 434
 - WithdrawnState, 330
- X**
- X Portable Character Set, **448**
 - X10 compatibility:
 - XDraw, 432
 - XDrawDashed, 432
 - XDrawFilled, 432
 - XDrawPatterned, 432
 - XDrawTiled, 432
 - XDraw, 433
 - XDrawDashed, 433
 - XDrawPatterned, 433
 - XDrawFilled, 434
 - XDrawTiled, 434
 - XActivateScreenSaver, **176**
 - XAddConnectionWatch, **25**, 26
 - XAddExtension, **405**
 - XAddHost, **177**, 178
 - XAddHosts, **178**
 - XAddPixel, **384**
 - XAddToExtensionList, **414**
 - XAddToSaveSet, **170**
 - XAllocClassHint, **335**
 - XAllocColor, 80, **82**, 83, 85, 88, 103
 - XAllocColorCells, 79, 80, **85**, 86, 88
 - XAllocColorPlanes, 79, 80, **86**, 87, 88, 346
 - XAllocIconSize, **339**
 - XAllocID, **414**, 420
 - XAllocIDs, **414**, 415
 - XAllocNamedColor, 77, 80, **83**, 84, 85, 88
 - XAllocSizeHints, **331**, 332
 - XAllocStandardColormap, **345**
 - XAllocWMHints, **329**
 - XAllowEvents, 230, 232, 236, **238**, 239, 240
 - XAllPlanes, **9**
 - XAnyEvent, **182**
 - XAppendVertex, 432
 - XArc, **140**
 - XAssocTable, 434, 435, 436
 - XAutoRepeatOff, **245**
 - XAutoRepeatOn, **245**
 - XBaseFontNameListOfFontSet, 267, **269**, 270
 - XBell, **245**
 - XBitmapBitOrder, **17**
 - XBitmapPad, **17**
 - XBitmapUnit, **16**
 - XBlackPixel, **9**
 - XBlackPixelOfScreen, **18**
 - XBufferOverflow, 314
 - XButtonEvent, **188**
 - XButtonPressedEvent, **188**, 189
 - XButtonReleasedEvent, **188**, 189
 - Xcalloc, 424
 - XCellsOfScreen, **19**
 - XChangeActivePointerGrab, 187, **233**
 - XChangeGC, **126**, 135, 420
 - XChangeKeyboardControl, 243, **244**, 245
 - XChangeKeyboardMapping, 204, **250**, 251
 - XChangePointerControl, **247**
 - XChangeProperty, 13, **63**, 64, 211
 - XChangeSaveSet, **170**
 - XChangeWindowAttributes, 30, **48**, 49, 80, 171, 209, 214
 - XChar2b, **150**, 158, 160, 162
 - XCharStruct, **150**, 151, 152, 157, 158, 159, 160
 - XCheckIfEvent, 217, **218**
 - XCheckMaskEvent, **220**, 221
 - XCheckTypedEvent, **221**
 - XCheckTypedWindowEvent, **221**
 - XCheckWindowEvent, **219**, 220
 - XCirculateEvent, **200**
 - XCirculateRequestEvent, **207**
 - XCirculateSubwindows, **47**, 48, 200, 207
 - XCirculateSubwindowsDown, **47**, 48, 200, 207
 - XCirculateSubwindowsUp, **47**, 200, 207
 - XClassHint, **335**, 336, 340, 341, 342
 - XClearArea, **137**, 138
 - XClearVertexFlag, 432
 - XClearWindow, 49, **138**
 - XClientMessageEvent, **210**
 - XClipBox, **375**
 - XCloseDisplay, **23**, 405
 - XCloseIM, 281, 285, **287**, 292, 299
 - XCloseOM, **258**, 260
 - XcmsAddColorSpace, 100, 103, **112**, 113
 - XcmsAddFunctionSet, 112, **116**
 - XcmsAllocColor, **83**, 103
 - XcmsAllocNamedColor, 77, **84**, 85
 - XcmsCCC, 94, 116
 - XcmsCCCOOfColormap, **93**
 - XcmsCIELab, **76**, 102

XcmsCIELabClipab, 101
 XcmsCIELabClipL, 101
 XcmsCIELabClipLab, 101
 XcmsCIELabFormat, 75, 115
 XcmsCIELabQueryMaxC, 101, **106**
 XcmsCIELabQueryMaxL, **106**
 XcmsCIELabQueryMaxLC, **107**
 XcmsCIELabQueryMinL, **107**
 XcmsCIELabToCIEXYZ, 115
 XcmsCIELabWhiteShiftColors, 102
 XcmsCIELuv, **76**, 102, 103
 XcmsCIELuvClipL, 101
 XcmsCIELuvClipLuv, 101
 XcmsCIELuvClipuv, 101
 XcmsCIELuvFormat, 75, 115
 XcmsCIELuvQueryMaxC, 101, **108**
 XcmsCIELuvQueryMaxL, **108**
 XcmsCIELuvQueryMaxLC, **108**, 109
 XcmsCIELuvQueryMinL, **109**
 XcmsCIELuvToCIEuvY, 115
 XcmsCIELuvWhiteShiftColors, 102, 103
 XcmsCIEuvY, **75**, 103
 XcmsCIEuvYFormat, 75, 96, 115
 XcmsCIEuvYToCIELuv, 115
 XcmsCIEuvYToCIEXYZ, 115
 XcmsCIEuvYToTekHVC, 115
 XcmsCIExyY, **75**
 XcmsCIExyYFormat, 75, 96, 115
 XcmsCIExyYToCIEXYZ, 115
 XcmsCIEXYZ, **75**, 99, 100, 103
 XcmsCIEXYZFormat, 75, 96, 115
 XcmsCIEXYZToCIELab, 115
 XcmsCIEXYZToCIEuvY, 115
 XcmsCIEXYZToCIExyY, 115
 XcmsCIEXYZToRGBi, 115
 XcmsClientWhitePointOfCCC, **95**
 XcmsColor, **74**, 85, 89, 90, 92, 93, 98, 99, 102, 112, 114, 115
 XcmsColorFormat, 75
 XcmsColorSpace, 113, 114, 115, 116, 117
 XcmsColorSpaces, 113
 XcmsCompressionProc, **99**
 XcmsConvertColors, **98**, 99
 XcmsCreateCCC, **97**, 98
 XcmsDefaultCCC, **94**
 XcmsDisplayOfCCC, **94**
 XcmsFailure, 79, 82, 83, 96, 97, 99, 107, 108, 109, 117
 XcmsFormatOfPrefix, 75, **113**, 116
 XcmsFreeCCC, 94, 97, **98**
 XcmsFunctionSet, 116, 117
 XcmsInitFailure, 117, 118
 XcmsInitNone, 118
 XcmsInitSuccess, 117, 118
 XcmsLookupColor, 77, **81**, 82, 85
 XcmsPad, **76**
 XcmsParseStringProc, **114**
 XcmsPerScrnInfo, 116, 117, 118
 XcmsPrefixOfFormat, 75, **113**, 116
 XcmsQueryBlack, **104**
 XcmsQueryBlue, **104**
 XcmsQueryColor, 89, **92**
 XcmsQueryColors, 90, **92**, 93
 XcmsQueryGreen, **104**, 105
 XcmsQueryRed, **105**
 XcmsQueryWhite, **105**, 106
 XcmsRGB, **75**, 76, 103
 XcmsRGBFormat, 75, 83, 85, 99, 115
 XcmsRGBi, **75**, 76, 99, 100, 103
 XcmsRGBiFormat, 75, 99, 115
 XcmsRGBiToCIEXYZ, 115
 XcmsRGBiToRGB, 115
 XcmsRGBToRGBi, 115
 XcmsScreenFreeProc, **118**
 XcmsScreenInitProc, **117**
 XcmsScreenNumberOfCCC, **95**
 XcmsScreenWhitePointOfCCC, **95**
 XcmsSetCCCOfColormap, 93, **94**
 XcmsSetCompressionProc, **96**
 XcmsSetWhiteAdjustProc, **96**, 97
 XcmsSetWhitePoint, **95**, 96
 XcmsStoreColor, **89**, 90
 XcmsStoreColors, **90**
 XcmsSuccess, 79, 82, 89, 90, 113, 117
 XcmsSuccessWithCompression, 79, 82
 XcmsTekHVC, **76**, 103
 XcmsTekHVCClipC, 101
 XcmsTekHVCClipV, 101
 XcmsTekHVCClipVC, 102
 XcmsTekHVCFFormat, 75, 115
 XcmsTekHVCFQueryMaxC, 104, **109**, 110
 XcmsTekHVCFQueryMaxV, **110**
 XcmsTekHVCFQueryMaxVC, **110**, 111
 XcmsTekHVCFQueryMaxVSAamples, **111**
 XcmsTekHVCFQueryMinV, **111**, 112
 XcmsTekHVCToCIEuvY, 115
 XcmsTekHVCToWhiteShiftColors, 103
 XcmsUndefinedFormat, 75, 81, 84, 96, 113
 XcmsVisualOfCCC, **94**
 XcmsWhiteAdjustProc, **102**
 XCNOENT, 388
 XCNOEMEM, 388
 XColor, 72, **74**, 76, 83, 88, 89, 90, 91, 92
 XColormapEvent, **209**
 XComposeStatus, 370, 371
 XCompoundTextStyle, 322

- XConfigureEvent, **201**
- XConfigureRequestEvent, **207**
- XConfigureWindow, 42, **44**, 200, 203, 207, 209
- XConnectionNumber, **9**
- XContextDependentDrawing, **271**
- XContextualDrawing, 261, **271**
- XConvertCase, **368**
- XConverterNotFound, 321, 323
- XConvertSelection, **67**, 211
- XCopiedArea, 125, 136, **138**, 139, 184, 198, 199
- XCopiedColormapAndFree, **79**, 80
- XCopiedGC, **126**
- XCopiedPlane, 68, 125, 136, **139**, 140, 184, 198, 199
- XCreateAssocTable, **435**
- XCreateBitmapFromData, **387**
- XCreateColormap, **79**, 88, 346
- XCreateFontCursor, **69**, 402
- XCreateFontSet, 255, 263, **266**, 267, 268, 269, 270, 273, 275, 276, 277, 278, 324, 325
- XCreateGC, 119, **125**, 126, 135, 198, 374, 420
- XCreateGlyphCursor, **69**, 70
- XCreateIC, 255, 281, **293**, 296, 300
- XCreateImage, **381**, 382, 384
- XCreateOC, 255, **262**, 263, 264, 266
- XCreatePixmap, **68**, 420
- XCreatePixmapCursor, **70**, 71
- XCreatePixmapFromBitmapData, **386**, 387
- XCreateRegion, **374**
- XCreateSimpleWindow, 36, **38**, 171, 201
- XCreateWindow, 30, **36**, 37, 38, 48, 80, 171, 201, 214
- XCreateWindowEvent, **201**
- XCrossingEvent, **190**
- XDefaultColormap, **10**
- XDefaultColormapOfScreen, **19**
- XDefaultDepth, **10**
- XDefaultDepthOfScreen, **19**
- XDefaultGC, **11**
- XDefaultGCOfScreen, **19**
- XDefaultRootWindow, **11**
- XDefaultScreen, 8, **12**
- XDefaultScreenOfDisplay, **11**
- XDefaultString, 323, **324**
- XDefaultVisual, **12**
- XDefaultVisualOfScreen, **19**
- XDefaultCursor, 38, **51**, 52
- XDeleteAssoc, **436**
- XDeleteContext, **388**
- XDeleteModifierMapEntry, **251**
- XDeleteProperty, **65**, 211
- XDestroyAssocTable, **436**
- XDestroyIC, 292, **293**, 294, 299
- XDestroyImage, 382, **384**
- XDestroyOC, **262**, 264, 265, 266
- XDestroyRegion, **374**
- XDestroySubwindows, **39**, 202
- XDestroyWindow, **39**, 202
- XDestroyWindowEvent, **202**
- XDirectionalDependentDrawing, 261, **271**
- XDisableAccessControl, **180**
- XDisplayCells, 8, **12**
- XDisplayHeight, 8, **17**
- XDisplayHeightMM, 8, **17**
- XDisplayKeycodes, **249**, 250
- XDisplayMotionBufferSize, **223**
- XDisplayName, **228**
- XDisplayOfIM, **288**
- XDisplayOfOM, **259**
- XDisplayOfScreen, **20**
- XDisplayPlanes, 8, **12**
- XDisplayString, **13**
- XDisplayWidth, 8, **18**
- XDisplayWidthMM, 8, **18**
- XDoesBackingStore, **20**
- XDoesSaveUnders, **20**
- xDoSomethingReply, **418**
- xDoSomethingReq, **417**, 420
- XDraw, 432, **433**
- XDrawArc, 124, **144**, 145, 146
- XDrawArcs, 13, 144, **145**, 146
- XDrawDashed, 432, 433
- XDrawFilled, 432, **434**
- XDrawImageString, 160, **163**, 164, 275
- XDrawImageString16, **163**, 164
- XDrawLine, 124, 137, **141**, 143
- XDrawLines, 13, 141, **142**, 143, 432
- XDrawPatterned, 432, 433
- XDrawPoint, 137, **140**, 141, 416
- XDrawPoints, 13, 140, **141**
- XDrawRectangle, 124, 137, **143**, 144
- XDrawRectangles, 13, 143, **144**
- XDrawSegments, 13, 124, 141, **142**, 143, 432
- XDrawString, **162**, 163, 275
- XDrawString16, **162**, 163
- XDrawText, 124, 160, **161**, 162, 275
- XDrawText16, 124, 160, **161**, 162
- XDrawTiled, 432, 434
- XDataObject, 414
- XEHeadOfExtensionList, **414**
- XEmptyRegion, **376**, 377
- XEnableAccessControl, **179**, 180
- XEnterWindowEvent, **190**, 192, 193
- XEqualRegion, **377**
- XErrorEvent, 225, 410, 412
- XSetBeforeFlush, **412**, 413

- XESetCloseDisplay, **405**
- XESetCopyGC, **406**, 412
- XESetCreateFont, **407**
- XESetCreateGC, **406**
- XESetError, **410**
- XESetErrorString, **411**
- XESetEventToWire, 408, **409**
- XESetFlushGC, **412**
- XESetFreeFont, **407**, 408
- XESetFreeGC, **406**, 407
- XESetPrintErrorValues, **412**
- XESetWireToError, **410**, 412
- XESetWireToEvent, **408**
- XEvent, **182**, 183, 216, 217, 218, 219, 220, 221, 223, 313, 408
- xEvent, 408
- XEvent, 409
- xEvent, 409
- XEvent, 410
- xEvent, 410
- XEvent, 412
- XEventMaskOfScreen, **20**
- XEventsQueued, 14, **215**, 216
- XExposeEvent, **198**
- XExtCodes, **404**, 405, 425
- XExtData, **413**
- XExtendedMaxRequestSize, **13**
- XExtentsOfFontSet, 255, **272**
- XFetchBuffer, **379**
- XFetchBytes, **378**, 379
- XFetchName, **327**, 328
- XFillArc, 124, 137, **148**, 149
- XFillArcs, 13, 125, **149**
- XFillPolygon, 13, 124, 125, **148**
- XFillRectangle, 124, 137, **146**, 147
- XFillRectangles, 13, 146, **147**
- XFilterEvent, **313**
- XFindContext, **388**
- XFindOnExtensionList, **414**
- XFlush, **215**
- XFlushGC, **127**
- XFocusChangeEvent, **193**
- XFocusInEvent, **193**, 194, 195, 196, 197
- XFocusOutEvent, **193**, 194, 195, 196, 197
- XFontProp, **150**
- XFontSet, 255, 257, 261, 262, 266, 267, 268, 269, 270, 272, 273, 275, 276, 277, 278, 302, 324, 437
- XFontSetExtents, 270, **271**, 272
- XFontsOfFontSet, 263, **269**
- XFontStruct, **150**, 151, 153, 154, 157, 160, 265, 266, 269, 270, 413
- XFontStructs, 269
- XFontStructSet, 266, 269
- XForceScreenSaver, **175**, 176
- XFree, 10, 16, **22**, 27, 53, 61, 63, 172, 178, 224, 250, 257, 260, 288, 290, 292, 295, 296, 306, 323, 324, 328, 329, 331, 332, 335, 336, 338, 339, 340, 345, 356, 379, 380, 386, 424
- XFreeColormap, **80**, 209
- XFreeColors, 79, **87**, 88
- XFreeCursor, 35, **72**
- XFreeExtensionList, **404**
- XFreeFont, 70, **154**, 408
- XFreeFontInfo, 153, **156**
- XFreeFontNames, **155**, 156
- XFreeFontPath, **173**
- XFreeFontSet, 266, 269, **270**, 272
- XFreeGC, **127**
- XFreeModifiermap, **251**, 252
- XFreePixmap, **68**, 69, 385, 387
- XFreeStringList, 269, 324, **325**, 344
- XGContextFromGC, **127**, 153
- XGCValues, **119**, 126
- xGenericReply, 419
- XGeometry, **430**, 431
- XGetAtomName, **60**, 61
- XGetAtomNames, **61**
- XGetClassHint, **336**
- XGetCommand, **343**
- XGetDefault, **431**, 432
- XGetErrorDatabaseText, **227**, 228, 255
- XGetErrorText, **227**, 255, 411
- XGetFontPath, **173**
- XGetFontProperty, **154**
- XGetGCValues, **126**, 127
- XGetGeometry, **55**, 56
- XGetIconName, **329**
- XGetIconSizes, **340**
- XGetICValues, 286, **295**, 296, 301
- XGetImage, **166**, 167, 168, 381, 382, 384
- XGetIMValues, 282, 285, 286, **288**, 290, 292, 293, 297, 299, 300, 303, 304
- XGetInputFocus, **242**
- XGetKeyboardControl, **244**
- XGetKeyboardMapping, **249**, 250
- XGetModifierMapping, **252**
- XGetMotionEvents, 187, **223**, 224
- XGetNormalHints, **427**, 429
- XGetOCValues, 262, **263**, 264, 265
- XGetOMValues, **259**, 265
- XGetPixel, **382**, 383
- XGetPointerControl, **247**
- XGetPointerMapping, **246**
- XGetRGBColormap, 429
- XGetRGBColormaps, 302, **348**, 349
- XGetScreenSaver, **176**

- XGetSelectionOwner, **66**, 67
- XGetSizeHints, **429**
- XGetStandardColormap, **429**, 430
- XGetSubImage, **167**, 168
- XGetTextProperty, **326**, 327, 328, 344
- XGetTransientForHint, **336**, 337
- XGetVisualInfo, **380**
- XGetWindowAttributes, **53**, 54, 55
- xGetWindowAttributesReply, 422
- XGetWindowProperty, **61**, 62, 63, 211
- XGetWMClientMachine, **344**
- XGetWMColormapWindows, **338**, 339
- XGetWMHints, **331**
- XGetWMIconName, **328**
- XGetWMName, **327**
- XGetWMNormalHints, **333**, 334, 427
- XGetWMProtocols, **337**, 338
- XGetWMSizeHints, **334**, 335, 429
- XGetZoomHints, **428**, 429
- XGrabButton, 186, 232, **233**, 234, 235, 239
- XGrabKey, **237**, 238, 239
- XGrabKeyboard, 196, 230, **235**, 236, 237, 238, 239
- XGrabPointer, 190, 193, 230, **231**, 232, 233, 234, 239
- XGrabServer, **174**
- XGraphicsExposeEvent, 182, **198**, 199
- XGravityEvent, **203**
- XHeightMMOfScreen, **21**
- XHeightOfScreen, **21**
- XHostAddress, **177**
- XIC, 255, 281, 282
- XICCEncodingStyle, **321**
- XIconifyWindow, **319**, 320
- XIconSize, 318, **339**
- XID, **4**
- XIfEvent, **217**, 218
- XIM, 253, 255, 281, 313
- XIMAbsolutePosition, 311, **312**
- XImage, **165**, 166, 167, 168, 381, 382, 383, 384
- XImageByteOrder, **16**
- XIMBackwardChar, 306, **311**
- XIMBackwardWord, **311**
- XIMCallback, 292, 298, 299, 303, **304**
- XIMCaretDirection, 306, **311**
- XIMCaretDown, **311**
- XIMCaretStyle, **311**
- XIMCaretUp, **311**
- XIMDontChange, 311, **312**
- XIMFeedback, 292, 310, 313
- XIMForwardChar, 306, **311**
- XIMForwardWord, **311**
- XIMHighlight, **310**
- XIMHotKeyStateOFF, 301
- XIMHotKeyStateON, 300, 301
- XIMHotKeyTriggers, 300
- XIMInitialState, 294, **300**, 303
- XIMLineEnd, 306, 311, **312**
- XIMLineStart, 311, **312**
- XIMNextLine, 311, **312**
- XIMOfIC, **295**
- XIMPreeditArea, 282, **290**, **291**, 301, 302
- XIMPreeditCallbacks, **290**, **291**, 304
- XIMPreeditCaretCallbackStruct, 310, **311**
- XIMPreeditDisable, 303
- XIMPreeditDrawCallbackStruct, 293, **308**
- XIMPreeditEnable, **303**
- XIMPreeditNone, **290**, **291**
- XIMPreeditNothing, **290**, **291**
- XIMPreeditPosition, **290**, **291**, 301, 302
- XIMPreeditStateNotifyCallbackStruct, **303**
- XIMPreeditUnknown, 303
- XIMPreserveState, 294, 300
- XIMPreviousLine, 311, **312**
- XIMPrimary, **310**
- XIMProc, **304**
- XIMResetState, 300
- XIMReverse, 309, **310**
- XIMSecondary, **310**
- XIMStatusArea, 282, **290**, **291**, 301, 302
- XIMStatusCallbacks, **290**, **291**, 304
- XIMStatusDataType, **312**
- XIMStatusDrawCallbackStruct, **312**
- XIMStatusNone, **290**, **291**
- XIMStatusNothing, **290**, **291**
- XIMStringConversionCallbackStruct, 285, **306**
- XIMStringConversionOperation, 307
- XIMStringConversionPosition, 306
- XIMStringConversionRetrieval, 306, 307
- XIMStringConversionSubstitution, 306, 307
- XIMStringConversionText, 299, 306
- XIMStyle, **290**
- XIMStyles, 282, **290**, 291
- XIMTertiary, **310**
- XIMText, 284, 292, 308, 309, 310, 313
- XIMUnderline, **310**
- XIMValuesList, 292
- XIMVisibleCenter, 309, **310**
- XIMVisibleToBackward, 309, **310**, 313
- XIMVisibleToCenter, 313
- XIMVisibleToForward, 309, **310**, 313
- XInitExtension, **404**, 405, 414, 425
- XInitImage, **165**
- XInitThreads, **24**, 25
- XINPreserveState, **300**
- XInsertModifi ermapEntry, **251**

- XInstallColormap, 35, 49, 73, **171**, 209
- XInternalConnectionNumbers, **26**, 27
- XInternAtom, 58, **60**
- XInternAtoms, **60**
- XIntersectRegion, **375**
- XKeyboardControl, **243**, 244
- XKeyboardState, **244**
- XKeycodeToKeysym, **367**, 368
- XKeyEvent, **188**
- XKeymapEvent, **197**
- XKeyPressedEvent, **188**, 189, 367, 370
- XKeyReleasedEvent, **188**, 189, 367, 370
- XKeysymToKeycode, **368**
- XKeysymToString, **369**
- XKillClient, **174**, 346
- XLastKnownRequestProcessed, **13**
- XLeaveWindowEvent, **190**, 192, 193
- XLFD, **448**
- XlibSpecificationRelease, **3**
- XListDepths, **10**
- XListExtensions, 403, **404**
- XListFonts, **154**, 155
- XListFontsWithInfo, **155**, 156
- XListHosts, **178**
- XListInstalledColormaps, **172**
- XListPixmapFormats, **16**
- XListProperties, **63**
- XLoadFont, **153**, 154
- XLoadQueryFont, 150, **153**, 154, 156, 407
- XLocaleNotSupported, 254, 321, 322, 323
- XLocaleOfFontSet, **270**
- XLocaleOfIM, 255, **288**
- XLocaleOfOM, 255, **259**
- XLockDisplay, **25**, 26, 217
- XLookupAssoc, **435**
- XLookupBoth, 314
- XLookupChars, 314
- XLookupColor, 77, **80**, 81
- XLookupKeySym, 314
- XLookupKeysym, **367**
- XLookupNone, 314
- XLookupString, **370**, 371
- XLowerWindow, **46**, 47, 200, 207
- XMakeAssoc, **435**
- Xmalloc, 424
- XMapEvent, **203**
- XMappingEvent, **204**
- XMapRaised, **40**, 41, 200, 203, 207, 208
- XMapRequestEvent, **208**
- XMapSubwindows, **41**, 203, 208
- XMapWindow, 30, 38, 39, **40**, 41, 203, 208
- XMaskEvent, **220**
- XMatchVisualInfo, 10, **380**, 381
- XMaxCmapsOfScreen, **21**
- XMaxRequestSize, **13**
- XmbDrawImageString, **277**, 278
- XmbDrawString, 271, **276**, 277
- XmbDrawText, 255, **275**, 276
- XmbLookupString, 255, 282, 283, 284, 285, 287, **313**, 314, 315
- XmbPerCharExtents, 272
- XmbResetIC, 285, **294**, 300, 303
- XmbSetWMProperties, 255, **340**, 341, 342
- XmbTextEscapement, **272**, 273
- XmbTextExtents, 255, 272, **273**, 275, 276, 278
- XmbTextItem, **275**
- XmbTextListToTextProperty, 255, **322**
- XmbTextPerCharExtents, 271, **274**, 275, 276
- XmbTextPropertyToTextList, 255, **323**, 324, 325, 356
- XMinCmapsOfScreen, **22**
- XModifierKeymap, **251**, 252
- XMotionEvent, **188**
- XMoveResizeWindow, **45**, 200, 203, 207, 209, 420
- XMoveWindow, **44**, 200, 207, 420
- XNArea, 283, 291, **301**, **316**
- XNAreaNeeded, 283, 291, **301**, 302, **316**
- XNBackground, **302**, **316**
- XNBackgroundPixmap, 302, **316**
- XNBaseFontName, 264, 316, **317**
- XNClientWindow, **298**, **316**
- XNColormap, **302**, **316**
- XNContextualDrawing, 260, 261, 316, **317**
- XNCursor, 303, **316**
- XNDefaultString, 265, 316, **317**
- XNDestroyCallback, 286, 290, 292, 299, **316**
- XNDirectionalDependentDrawing, 260, 261, 316, **317**
- XNegative, 372
- XNewModifiermap, **251**
- XNextEvent, 2, 215, **216**, 313
- XNextRequest, **14**
- XNFilterEvents, 283, 293, 295, **298**, **316**
- XNFocusWindow, 291, **298**, 301, **316**
- XNFontInfo, 265, 316, **317**
- XNFontSet, 283, **302**, **316**
- XNForeground, **302**, **316**
- XNGeometryCallback, **298**, **316**
- XNHotKey, 300, **316**
- XNHotKeyState, 300, 301, **316**
- XNInputStyle, 282, 297, 302, **316**
- XNLineStyle, 302, **316**
- XNLineSpacing, 283
- XNMissingCharSet, 264, 316, **317**
- XNoExposeEvent, **199**

- XNOMAutomatic, 266, 316, **317**
- XNoMemory, 321, 322, 323
- XNoOp, **22**
- XNOrientation, 265, 316, **317**
- XNPreeditAttributes, **301, 316**
- XNPreeditCaretCallback, 291, **304, 316**
- XNPreeditDoneCallback, 291, **304, 316**
- XNPreeditDrawCallback, 291, **304, 316**
- XNPreeditStartCallback, 291, **304, 316**
- XNPreeditState, 286, 300, 303, **316**
- XNPreeditState., 286
- XNPreeditStateNotifyCallback, 286, 303, **316**
- XNQueryICValuesList, 285, 286, 287, 290, 292, 299, 300, 303, 304, **316**
- XNQueryIMValues, 292, 293
- XNQueryIMValuesList, 290, 292, **316**
- XNQueryInputStyle, 290, 297, **316**
- XNQueryOrientation, 260, 265, 316, **317**
- XNR6PreeditCallbackBehavior, 290, 293, **316**
- XNRequiredCharSet, 260, 316, **317**
- XNResetState, 294, 300, 303, **316**
- XNResourceClass, 265, 290, 291, **298, 316**
- XNResourceName, 265, 290, 291, **298, 316**
- XNSeparatorofNestedList, 316
- XNSeparatorofNestedList :
 , @DEF@""
- XNSpotLocation, 291, **302, 316**
- XNStatusAttributes, **301, 316**
- XNStatusDoneCallback, 291, **304, 316**
- XNStatusDrawCallback, 291, **304, 316**
- XNStatusStartCallback, 291, **304, 316**
- XNStdColormap, **302, 316**
- XNStringConversion, 285, 299, **316**
- XNStringConversionCallback, 285, 299, **316**
- XNVaNestedList, 256, **316**
- XNVisiblePosition, 290, 292, **316**
- XOC, 257, 261, 262, 264, 265, 266
- XOffsetRegion, **374**
- XOM, 253, 255, 257, 260, 266, 270
- XOMCharSetList, **260**, 264
- XOMFontInfo, 265, 266
- XOMOfOC, **262**
- XOMOrientation, 260
- XOMOrientation_Context, 261, 265
- XOMOrientation_LTR_TTB, 260, 261, 265
- XOMOrientation_RTL_TTB, 261
- XOMOrientation_TTB_LTR, 261
- XOMOrientation_TTB_RTL, 261
- XOpenDisplay, **7**, 8, 12, 13, 28, 181, 228, 356
- XOpenIM, 255, 281, 285, 286, **287**
- XOpenOM, 255, **258**
- XOrientation, 265
- XParseColor, 77, **81**
- XParseGeometry, **372**, 373, 431
- XPeekEvent, **217**
- XPeekIfEvent, 217, **218**, 219
- XPending, 215, **216**
- Xpermalloc, **372**
- XPixmapFormatValues, 15, 16
- XPlanesOfScreen, **22**
- XPoint, **140**, 143, 302
- XPointer, **4**, 256
- XPointerMovedEvent, 187, **188**, 189
- XPointInRegion, **377**
- XPolygonRegion, **374**
- XProcessInternalConnection, **26**
- XPropertyEvent, **210**
- XProtocolRevision, **14**
- XProtocolVersion, **14**
- XPutBackEvent, **221**, 222
- XPutImage, 13, **166**, 381, 387
- XPutPixel, **383**
- XQLength, **14**, 216
- XQueryBestCursor, 69, **71**, 72
- XQueryBestSize, **131**, 132
- XQueryBestStipple, **132**, 133
- XQueryBestTile, **132**
- XQueryColor, **91**
- XQueryColors, **91**, 92
- XQueryExtension, **403**
- XQueryFont, **153**, 407
- XQueryKeymap, **245**, 246
- XQueryPointer, 56, **57**, 58, 187
- XQueryTextExtents, **158**, 159, 160, 164
- XQueryTextExtents16, 158, **159**, 160
- XQueryTree, **53**
- XRaiseWindow, 2, **46**, 200, 207
- XReadBitmapFile, **384**, 385, 386
- XReadBitmapFileData, **385**
- XRebindKeysym, **371**
- XRecolorCursor, 69, **72**
- XReconfigureWMWindow, **320**, 321
- XRectangle, **140**, 272, 275, 301
- XRectangle., 301
- XRectangles, 275
- XRectInRegion, **377**
- XRefreshKeyboardMapping, 204, **368**, 371
- XRegisterIMInstantiateCallback, 255, 286, **288**, 289
- XRemoveConnectionWatch, **26**
- XRemoveFromSaveSet, **170**, 171
- XRemoveHost, **178**, 179
- XRemoveHosts, **179**
- XReparentEvent, **204**
- XReparentWindow, **169**, 170, 203, 204
- xReply, 421

- xReq, 415, 418
- XResetScreenSaver, **176**
- XResizeRequestEvent, **209**
- XResizeWindow, **44**, 45, 200, 203, 207, 209
- XResourceManagerString, **356**
- xResourceReq, **418**
- XRestackWindows, **48**, 200, 207
- XrmBindingList, 354
- XrmBindLoosely, 354
- XrmBindTightly, 354
- XrmCombineDatabase, **358**, 359
- XrmCombineFileDatabase, **358**
- XrmDatabase, 255, **355**
- XrmDestroyDatabase, **357**
- XrmEnumAllLevels, 363
- XrmEnumerateDatabase, **363**
- XrmEnumOneLevel, 363
- XrmGetDatabase, **357**, 358
- XrmGetFileDatabase, 255, **355**, 357
- XrmGetResource, **359**, 360, 361
- XrmGetStringDatabase, 255, **356**, 357
- XrmInitialize, **355**
- XrmLocaleOfDatabase, 255, **357**
- XrmMergeDatabases, **358**, 359
- XrmOptionDescRec, **364**
- XrmOptionDescRec.value, 364
- XrmOptionKind, **364**
- XrmoptionNoArg, 365
- XrmoptionSkipArg, 364
- XrmoptionSkipNArgs, 364
- XrmParseCommand, **364**, 365
- XrmPermStringToQuark, **353**
- XrmPutFileDatabase, 255, **356**
- XrmPutLineResource, **363**
- XrmPutResource, 359, **361**
- XrmPutStringResource, **362**
- XrmQGetResource, **359**, 360, 361
- XrmQGetSearchList, **360**, 361
- XrmQGetSearchResource, 359, **360**, 361
- XrmQPutResource, 359, **361**, 362, 363
- XrmQPutStringResource, **362**, 363
- XrmQuark, 352, 353
- XrmQuarkToString, **353**, 354
- XrmSetDatabase, **357**, 432
- XrmStringToBindingQuarkList, **354**, 361, 362
- XrmStringToQuark, **353**
- XrmStringToQuarkList, **354**
- XrmUniqueQuark, **353**
- XrmValue, **355**, 363
- XRootWindow, **15**
- XRootWindowOfScreen, **22**
- XRotateBuffers, **379**
- XRotateWindowProperties, **64**, 65, 211
- XSaveContext, **387**, 388
- XScreenCount, **15**
- XScreenNumberOfScreen, **20**
- XScreenOfDisplay, **11**
- XScreenResourceString, **356**
- XSegment, **140**, 143
- XSelectInput, **214**, 215
- XSelectionClearEvent, **211**
- XSelectionEvent, **212**
- XSelectionRequestEvent, **211**
- XSendEvent, 210, 212, **222**, 223
- XServerInterpretedAddress, **177**
- XServerVendor, **15**
- XSetAccessControl, **179**
- XSetAfterFunction, **224**
- XSetArcMode, **136**
- XSetBackground, **129**, 420
- XSetClassHint, **335**, 342
- XSetClipMask, **134**, 135
- XSetClipOrigin, **134**
- XSetClipRectangles, 13, 125, 126, **135**
- XSetCloseDownMode, **23**, 348
- XSetCommand, 342, **343**
- XSetDashes, 124, 126, **130**, 131
- XSetErrorHandler, **225**
- XSetFillRule, **131**
- XSetFillStyle, **131**
- XSetFont, **134**
- XSetFontPath, 155, **172**, 173
- XSetForeground, 119, **128**, 129
- XSetFunction, **129**
- XSetGraphicsExposures, **136**, 198
- XSetICFocus, 282, **294**
- XSetIconName, **328**, 329
- XSetIconSizes, **339**, 340
- XSetICValue, 286
- XSetICValues, 286, **295**, 296, 298, 301
- XSetIMValue, 286
- XSetIMValues, **287**, 288, 290
- XSetInputFocus, **241**, 242
- XSetIOErrorHandler, **228**, 229
- XSetLineAttributes, 119, **130**
- XSetLocaleModifiers, **254**, 255, 256, 258, 287
- XSetModifierMapping, 204, **252**
- XSetNormalHints, **427**, 429
- XSetOCValues, **262**, 263, 265
- XSetOMValues, **258**, 259
- XSetPlaneMask, **129**
- XSetPointerMapping, 204, **246**
- XSetRegion, 13, 125, **374**
- XSetRGBColormap, 430
- XSetRGBColormaps, **347**, 348
- XSetScreenSaver, **174**, 175

- XSetSelectionOwner, 23, **66**, 211, 212
- XSetSizeHints, **428**, 429
- XSetStandardColormap, **430**
- XSetStandardProperties, **426**, 427
- XSetState, **128**
- XSetStipple, **133**
- XSetSubwindowMode, **136**
- XSetTextProperty, **325**, 326, 328, 344
- XSetTile, **133**
- XSetTransientForHint, **336**
- XSetTSTOrigin, **133**, 134
- XSetWindowAttributes, **30**, 48, 49, 209, 214
- XSetWindowBackground, **49**, 50
- XSetWindowBackgroundPixmap, **50**
- XSetWindowBorder, **50**, 51
- XSetWindowBorderPixmap, **51**
- XSetWindowBorderWidth, **45**, 46, 200, 207
- XSetWindowColormap, **51**, 80, 171, 209
- XSetWMClientMachine, 341, 342, **344**
- XSetWMColormapWindows, **338**
- XSetWMHints, **331**, 340, 341, 342
- XSetWMIconName, **328**, 342
- XSetWMName, **326**, 327, 342
- XSetWMNormalHints, **333**, 334, 341, 342, 427
- XSetWMProperties, **342**, 343, 426
- XSetWMProtocols, **337**
- XSetWMSizeHints, **334**, 428
- XSetZoomHints, **428**, 429
- XShrinkRegion, **375**
- XSizeHints, 318, 331, **332**, 333, 334, 373, 427, 428, 429
- XStandardColormap, **345**, 346, 347, 348, 426, 429
- XStdICCTextStyle, 322
- XStoreBuffer, **378**
- XStoreBytes, **378**
- XStoreColor, 87, **88**, 89
- XStoreColors, 87, **89**, 90, 348
- XStoreName, **327**
- XStoreNamedColor, 77, 87, **90**, 91
- XStringListToTextProperty, **324**
- XStringStyle, 322, 323
- XStringToKeysym, **369**
- XSubImage, 382, **383**, 384
- XSubtractRegion, **376**
- XSupportsLocale, **254**, 255, 323
- XSync, 2, 23, **215**
- XSynchronize, **224**, 423
- XTextExtents, **157**, 158, 160
- XTextExtents16, **157**, 158, 160
- XTextItem, **160**
- XTextItem16, **160**
- XTextProperty, **321**, 322, 323, 324, 325, 326, 327, 328, 344
- XTextPropertyToStringList, **325**
- XTextStyle, 322
- XTextWidth, **156**
- XTextWidth16, **156**
- XTimeCoord, **224**
- XTranslateCoordinates, **56**, 57
- XUndefinedCursor, **52**
- XUngrabButton, **235**
- XUngrabKey, **238**
- XUngrabKeyboard, 23, **236**, 237
- XUngrabPointer, 23, 187, 190, **232**
- XUngrabServer, 23, **174**
- XUninstallColormap, 73, 80, **171**, 172, 209
- XUnionRectWithRegion, **376**
- XUnionRegion, **375**
- XUniqueContext, **388**
- XUnloadFont, 153, **154**, 156
- XUnlockDisplay, **25**
- XUnmapEvent, **205**
- XUnmapSubwindows, **41**, 42
- XUnmapWindow, **41**
- XUnregisterIMInstantiateCallback, 255, 286, **289**
- XUnsetICFocus, 282, **294**
- XVaCreateNestedList, 256, 257
- XValue, 372
- XVaNestedList, 256, 296
- XVendorRelease, **15**
- XVisibilityEvent, **206**
- XVisualIDFromVisual, **29**
- XVisualInfo, 28, **379**
- XWarpPointer, **240**, 241
- XWatchProc, **25**
- XwcDrawImageString, **277**, 278
- XwcDrawString, **276**, 277
- XwcDrawText, 255, **275**, 276
- XwcFreeStringList, **324**
- XwcLookupString, 255, 282, 283, 284, 285, 287, **313**, 314, 315
- XwcPerCharExtents, 272
- XwcResetIC, 285, 294, 300, 303
- XwcTextEscapement, **272**, 273
- XwcTextExtents, 255, 272, **273**, 275, 276, 278
- XwcTextItem, **275**
- XwcTextListToTextProperty, 255, **322**
- XwcTextPerCharExtents, 271, **274**, 275, 276
- XwcTextPropertyToTextList, 255, **323**, 324
- XWhitePixel, **9**
- XWhitePixelOfScreen, **18**
- XWidthMMOfScreen, **21**
- XWidthOfScreen, **21**
- XWindowAttributes, 53, **54**
- XWindowChanges, **42**, 44, 320
- XWindowEvent, 2, 215, **219**

XWithdrawWindow, **320**
XWMGeometry, **372**, 373, 430
XWMHints, 318, **329**, 331, 340, 342
XWriteBitmapFile, **386**, 387
XXorRegion, **376**
XY format, **448**
XYBitmap, 166, 381
XYPixmap, 166, 167, 168, 381
X_CopyArea, 199
X_CopyPlane, 199
X_MapWindow, 420

Y

YNegative, 372
YSorted, 135
YValue, 372
YXBanded, 135
YXSorted, 135

Z

Z format, **448**
ZPixmap, 166, 167, 168, 381

–

_XAllocScratch, **424**
_XAllocTemp, **424**
_Xdebug, 224
_XFlushGCCache, **415**
_XFreeTemp, **424**
_XRead, 422, 424
_XRead16, 422
_XRead16Pad, 423
_XRead32, 423
_XReadPad, 423
_XReply, 411, **421**, 422, 424
_XSend, 420, 421, 424
_XSetLastRequestRead, **409**