

Information for Cyrix Chipset Users

The XFree86 Project Inc.

7 March 2000

1. Supported hardware

This driver supports a single chipset 'mediagx' that should work on the following Cyrix CPUs with integrated graphics:

- MediaGX
- MediaGX*i*
- MediaGX*m*

2. Features

- Rather sparse (color depth hardcoded to 8)

3. xorg.conf Option

Option "sw_cursor"
disable the hardware cursor. (Code not verified yet!)

Option "no_accel"
completely disables acceleration. Usually not recommended.

4. Bugs and Limitations

- As a first cut at the new design, known problems are everywhere. The console font is corrupted upon exit. The server seems stable if the virtual desktop and resolution size match. I found 1024x768 usable and that's why I released this version. Geeks can have fun with this but NEWBIES should use the 3.3.3.1 release instead!
- On some older chipsets, the driver may trigger an illegal instruction just after probing for the "scratchpad size". If this is the case, email to <hecker@cat.dfrc.nasa.gov> with the output of

```
Xorg -probeonly -verbose
```

and this will be fixed.

5. Authors

- Richard Hecker <hecker@cat.dfrc.nasa.gov>

CONTENTS

1. Supported hardware	1
2. Features	1
3. xorg.conf Option	1
4. Bugs and Limitations	1
5. Authors	1